

NOSA odor protection, Material Safety Datasheet GR 20-002

01

1(4)

NOSA odor protection, Material Safety Datasheet

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION:

Company Details:

Company Name:	Address:	Telephone Number:
NoseOption AB	Riddargatan 17D, Stockholm, Sweden	+46 77 1112 000

Product Details:

Product Name:	Product Use:	Product Code:
NOSA odor protection	Odor protection	10120071

SECTION 2: HAZARD IDENTIFICATION SUMMARY:

Health Hazards: May become a choking hazard if swallowed. May be

harmful if pushed by excessive force to far into nasal

cavity.

Molten product sticks to the skin and can cause burns

Physical Hazards: Can melt at high temperatures releasing toxic

gases.

Environmental Hazards: Recycle as plastic.

SECTION 3: COMPOSITION, INFORMATION OF INGREDIENTS:

Summary:

Component:	Percentage:
Thermoplastic elastomers, (TPE)	80 - 99 %
Fragrance (free of allergens)	1 - 20 %

Template Doc.id. Version



NOSA odor protection, Material Safety Datasheet GR 20-002 01

2(4)

SECTION 4: FIRST AID MEASURES: General Advice: Not expected to give rise to an acute hazard under normal conditions of use. Remove to fresh air if inhalation of combustion gas, degradation products, First Aid - Inhalation: gases, etc. Rest is recommended. If necessary, contact a doctor. First Aid - Skin: Wash off immediately with plenty of soap and water. Molten material on the skin should be cooled rapidly with cold water, but not pulled off. See a doctor if any burns occur. First Aid - Eye: If eye comes into contact with hot material, irrigate thoroughly with water. If swallowed: Call emergency number for your country If stuck in respiratory Call emergency number for your country system: If irritation occurs: Remove product from nasal cavity

SECTION 5: FIRE FIGHTING MEASURES:

National Fire Protection Rating (NFPA):

Health:	Flammability:	Reactivity:
0	0	0

Legend: 4 = severe | 3 = Serious | 2 = Moderate | 1 = Slight | 0 = minimal

Extinguishing Use foam, dry chemical, water.

Media:

Notes to

doctor/physician:

Fire Hazard: Excessive fumes can be generated and result in hazardous combustion gases.

Avoid inhalation.

 $Possible\ combustion\ products:\ Carbon\ monoxide,\ carbon\ dioxide,\ nitrogen\ oxide$

and other toxic fumes.

Treat symptomatically

Protective Equipment: In large fires use self-contained breathing apparatus as protection against

combustion gases. Use protective clothing.

SECTION 6: ACCIDENTAL RELEASE MEASURES:

Personal Precautions: None

Clean-up Methods: Recyclable

SECTION 7: HANDLING AND STORAGE:

Storage: Store in dry and dark area, away from children.

Template Doc.id. Version

Document Template NO 09-01-02 01



NOSA odor protection, Material Safety Datasheet GR 20-002 01

3(4)

SECTION 8: EXPOSURE CONTROLS, PERSONAL PROTECTION	N
---	---

N/A

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES:

Summary:

Property:	Details:
Appearance:	Transparent TPE plastic
Fragrance:	Menthol
Flammability:	Minimal
Density:	890 - 1400 kg/m³
Decomposition Temperature:	> 260 °C
Solubility in water (20 °C)	Insolable

SECTION 10:		CTIVITY:

Conditions to Avoid: Heating to high temperatures (>200 °C) can generate gases and vapours.

Avoid strong oxidizing agents

SECTION 11: TOXICOLOGICAL INFORMATION:

Toxicological risks: No known toxicological risks

SECTION 12: ECOLOGICAL INFORMATION:

Persistence / Degradability: Should not be dumped or discharged into ground water, as the product is not

biologically degradable.

No expected or known environmental effects occur, when used as specified.

SECTION 13: DISPOSAL CONSIDERATION:

Waste: Uncontaminated products can and should be recycled.

Recover or recycle if possible.

Template Doc.id. Version

Document Template NO 09-01-02 01



NOSA odor protection, Material Safety Datasheet GR 20-002 01

4(4)

SECTION 14: TRANSPORT INFORMATION:

Summary:

Criteria:	Requirements:
Shipping description	No requirement
Transport Hazard Class	No requirement
UN Number	No requirement
DOT Packing Group	No requirement

SECTION 15: REGULATORY INFORMATION:

N/A

Template Doc.id. Version

Document Template NO 09-01-02 01